



Office of the Director of Boiler,Gujarat State

3rd Floor, D Block, Bahumali Bhawan,Manjushri Mill Compound, Asarva, Girdharnagar
Ahmedabad- 380004.

e-mail :- cisbnsn-lab-ahd@gujarat.gov.in & Web site :- <http://www.boiler.gujarat.gov.in>

No. DOB/TECH/2025/CA062025-20260002067

Date:26/09/2025

To,
AUTHORISED SIGNATORY
ARIHANT NDT INSPECTION SERVICES.,
HOUSE NO. 25, SHIV BHAKTI PARK SOCIETY, OPP. B.R.C. GATE, NEAR HARINAGAR - 3,
UDHNA, SURAT.,SURAT CITY,SURAT,394220

Sub : Extension of Approval of your workshop for Carry out NDT as per Regulation 391

(A) (b) (ii) of IBR-1950 under inspection of IBR - 1950 Code.

Ref.:1 First Approval Letter No.A0032023-20240002171 Date. 07/05/2023

Sir,

With reference to above you subject & refered letter **the approval granted to your firm for "Carry out NDT as per Regulation 391 (A) (b) (ii) of IBR-1950"** under inspection of IBR -1950 is extended for **Two** years . i.e from **12/09/2025** to **11/09/2027** All other terms and conditions shall remain the same as per reference letter 1.

Workshop approval fees of Rs.3,000.00 has been received vide online receipt no 3030033, dtd.16/09/2025 Also, you are instructed to apply for renewal of firm recognition at least two months prior to the expiry of this validity.

Signature valid

Digitally signed by BIPIN KUMAR
HIMMATLAL PATEL
Date: 2025.09.26 15:44:45 IST
Reason: Approval
Location: Gandhinagar

Shri P. H. Patel

Director of Boilers, Gujarat State

Copy to: D.O.B / TECH /2025 /CA062025-20260002067 26/09/2025 Dated

Shri P A Vyas, Deputy Director of Boilers, Surat for information & necessary action

Annexure

- 1 All testing is to be carried out as per IBR requirements or respective National as well as International Code.
- 2 You are also instructed to follow the instructions issued by the Inspectorate from time to time.
- 3 You will have to inform this office Immediately if there is any change in existing name of the company / Director / Existing technical staff of the company.
- 4 The period of approval is for Two year from the date of issue of this permission.
- 5 Also this permission is cancelled immediately if any irregularities is found by the Inspectorate.